

**OFERTA COMPONENTE**  
**05 SEPTEMBRIE 2010**

**S.C. ELECTRONIC LION S.R.L.** Pitesti, B-dul. I.C. Bratianu, Bl. D6 Parter (Minion)  
Tel/Fax: 0248213439, 0348807016, 0348807017  
e-mail: office@e-lion.ro  
**www.e-lion.ro**



| Procesoare   |             |             |
|--------------|-------------|-------------|
| <b>AMD</b>   | <b>Gar.</b> | <b>Pret</b> |
|              | 36          | 160         |
|              | 36          | 255         |
|              | 36          | 340         |
|              | 36          | 415         |
|              | 36          | 690         |
|              | 36          | 850         |
| <b>Intel</b> | <b>Gar.</b> | <b>Pret</b> |
|              | 36          | 180         |
|              | 36          | 220         |
|              | 36          | 280         |
|              | 36          | 305         |
|              | 36          | 345         |
|              | 36          | 420         |
|              | 36          | 510         |
|              | 36          | 510         |
|              | 36          | 560         |
|              | 36          | 820         |
|              | 36          | 920         |
|              | 36          | 1245        |

| Placi de baza              |             |             |
|----------------------------|-------------|-------------|
| <b>Socket 775</b>          | <b>Gar.</b> | <b>Pret</b> |
|                            | 36          | 195         |
|                            | 36          | 205         |
|                            | 24          | 210         |
|                            | 36          | 215         |
|                            | 36          | 260         |
|                            | 36          | 260         |
|                            | 36          | 280         |
|                            | 36          | 290         |
|                            | 36          | 370         |
|                            | 36          | 370         |
|                            | 36          | 380         |
|                            | 36          | 395         |
|                            | 36          | 430         |
|                            | 36          | 445         |
|                            | 36          | 465         |
| <b>Socket AM2/AM2+/AM3</b> | <b>Gar.</b> | <b>Pret</b> |
|                            | 36          | 195         |
|                            | 24          | 220         |
|                            | 36          | 255         |
|                            | 36          | 285         |
|                            | 36          | 325         |
|                            | 36          | 355         |
|                            | 36          | 365         |
|                            | 36          | 420         |
|                            | 36          | 515         |
| <b>Socket 1156</b>         | <b>Gar.</b> | <b>Pret</b> |
|                            | 36          | 365         |
|                            | 36          | 390         |
|                            | 24          | 395         |
|                            | 36          | 470         |

| Placi video   |             |             |
|---------------|-------------|-------------|
| <b>ATI</b>    | <b>Gar.</b> | <b>Pret</b> |
|               | 24          | 295         |
|               | 24          | 355         |
|               | 24          | 370         |
| <b>nVidia</b> | <b>Gar.</b> | <b>Pret</b> |
|               | 24          | 140         |
|               | 12          | 155         |
|               | 24          | 220         |
|               | 24          | 225         |
|               | 24          | 255         |
|               | 24          | 345         |
|               | 24          | 370         |
|               | 24          | 390         |
|               | 24          | 415         |
|               | 24          | 450         |
|               | 24          | 620         |
|               | 24          | 1550        |

| Hard disk-uri              |             |             |
|----------------------------|-------------|-------------|
| <b>IDE</b>                 | <b>Gar.</b> | <b>Pret</b> |
|                            | 24          | 195         |
|                            | 24          | 235         |
| <b>PENTRU LAPTOP(2.5")</b> | <b>Gar.</b> | <b>Pret</b> |
|                            | 36          | 195         |

PRETURILE CONTIN T.V.A. SI SE POT MODIFICA FARA O NOTIFICARE PREALABILA  
VANZARI SI IN RATE CU AVANS 0 !! CREDITE PRIN BANCILE: TRANSILVANIA, RAIFFEISEN si C.E.C.

| <b>PENTRU LAPTOP(2.5")</b> | <b>Gar.</b> | <b>Pret</b> |
|----------------------------|-------------|-------------|
|                            | 36          | 215         |
|                            | 36          | 250         |
|                            | 24          | 325         |
|                            | 36          | 330         |
| <b>S-ATA2</b>              | <b>Gar.</b> | <b>Pret</b> |
|                            | 36          | 180         |
|                            | 36          | 190         |
|                            | 36          | 200         |
|                            | 36          | 210         |
|                            | 36          | 215         |
|                            | 36          | 270         |
|                            | 36          | 285         |
|                            | 36          | 290         |
|                            | 36          | 325         |
|                            | 36          | 360         |
|                            | 36          | 365         |

#### Unitati optice

| <b>DVD-RW</b>   | <b>Gar.</b> | <b>Pret</b> |
|-----------------|-------------|-------------|
|                 | 12          | 85          |
|                 | 12          | 90          |
|                 | 12          | 90          |
|                 | 12          | 90          |
|                 | 12          | 100         |
|                 | 12          | 105         |
|                 | 12          | 175         |
|                 | 12          | 210         |
| <b>BLUE RAY</b> | <b>Gar.</b> | <b>Pret</b> |
|                 | 12          | 320         |

#### Sisteme audio

| <b>Sisteme audio 5.1</b> | <b>Gar.</b> | <b>Pret</b> |
|--------------------------|-------------|-------------|
|                          | 24          | 1358        |

#### Notebook

| <b>PLATFORMA AMD</b>                            | <b>Gar.</b> | <b>Pret</b> |
|---|-------------|-------------|
| AMD SEMPRON SI40 2.0GHz                         | 24          | 1650        |
| AMD SEMPRON M100 2.0GHz                         | 24          | 1700        |
| AMD ATHLON X2 QL-64 2.1GHz                      | 12          | 1785        |
| AMD Athlon 64 X2 Dual-Core Mobile QL-65 2.1 GHZ | 24          | 1937        |
| AMD Athlon 64 X2 Dual-Core Mobile QL-65 2.1 GHZ | 24          | 1950        |
| INTEL DUAL CORE T2390                           | 24          | 2180        |
| Intel Core2Duo T6600                            | 24          | 2290        |
| Intel Pentium Dual Core T3400                   | 24          | 2619        |
| Intel Core2Duo T6600                            | 24          | 2870        |
| Intel Montevina Core2 Duo T5800                 | 24          | 3710        |
| <b>PLATFORMA INTEL</b>                          | <b>Gar.</b> | <b>Pret</b> |
| INTEL ATOM N270 1.6 GHZ                         | 24          | 1050        |
| INTEL ATOM N270                                 | 24          | 1350        |
| INTEL ATOM N270 1.6 GHZ                         | 24          | 1375        |
| INTEL ATOM N450 1.66GHZ                         | 24          | 1380        |
| INTEL ATOM N280(1,66GHz)                        | 24          | 1432        |
| INTEL ATOM MENLOW Z520 1.33GHZ                  | 24          | 1480        |
| INTEL CELERON CM 575 2.0GHZ                     | 24          | 1540        |
| INTEL CELERON T1500                             | 24          | 1550        |
| INTEL CELERON M900 2.2GHZ                       | 12          | 1590        |
| CELERON DUAL CORE T3100 2.3GHZ                  | 24          | 1630        |
| INTEL CELERON M900 2.2GHZ                       | 12          | 1650        |
| INTEL CORE 2 DUO T5550 1.8 GHZ                  | 12          | 1650        |
| INTEL CELERON DUAL CORE T 3000 1.8GHZ           | 24          | 1680        |
| INTEL DUAL CORE T4400 2.2GHZ                    | 12          | 1760        |
| INTEL CELERON 723 1.2GHZ                        | 12          | 1760        |
| INTEL CORE2DUO T5800 2GHz                       | 12          | 1800        |
| INTEL CELERON 723 1.2GHZ                        | 24          | 1820        |
| INTEL DUAL CORE T4200 2GHz                      | 12          | 1823        |
| INTEL DUAL CORE T4400 2.2GHz                    | 24          | 1865        |
| INTEL CELERON 900 2.2GHZ                        | 24          | 1880        |
| INTEL CORE 2 DUO T5450 1,66GHz                  | 24          | 1900        |
| INTEL DUAL CORE T4300                           | 24          | 1989        |
| INTEL CELERON DUAL CORE T3100                   | 24          | 1990        |
| INTEL CORE2DUO T5900                            | 24          | 1995        |
| INTEL DUAL CORE T4300 2,1GHz                    | 24          | 1995        |
| INTEL DUAL CORE T4300 2.1GHz                    | 24          | 2021        |
| INTEL DUAL CORE T4400                           | 24          | 2030        |
| INTEL DUAL CORE E4500 2.3GHz                    | 24          | 2060        |
| INTEL DUAL CORE T4400 2.2GHz                    | 12          | 2095        |
| Intel Dual Core T4200                           | 24          | 2170        |
| INTEL CELERON DUAL CORE T1600                   | 24          | 2190        |
| INTEL DUAL CORE T4500 2.3GHZ                    | 24          | 2190        |

PRETURILE CONTIN T.V.A. SI SE POT MODIFICA FARA O NOTIFICARE PREALABILA  
VANZARI SI IN RATE CU AVANS 0 !! CREDITE PRIN BANCILE: TRANSILVANIA, RAIFFEISEN si C.E.C.

| PLATFORMA INTEL                    | Gar. | Pret  |
|------------------------------------|------|-------|
| INTEL CORE DUO T4200               | 24   | 2190  |
| INTEL DUAL CORE T4200              | 24   | 2225  |
| Core2 Duo T6600 2.2 GHZ            | 24   | 2230  |
| INTEL DUAL CORE T4300 2.1GHZ       | 24   | 2250  |
| INTEL CORE i3 330M 2.13GHZ         | 24   | 2260  |
| INTEL CORE2DUO MOBILE T6600 2.2GHZ | 12   | 2290  |
| INTEL CORE 2 SOLO SU 3500 1.4GHZ   | 12   | 2290  |
| INTEL CORE2DUO T5870 (1.8 GHZ)     | 24   | 2300  |
| INTEL CORE2DUO T5900               | 24   | 2300  |
| INTEL DUAL CORE T4200 2GHZ         | 24   | 2331  |
| INTEL PENTIUM SU4100 1,3GHZ        | 24   | 2390  |
| INTEL DUAL CORE T3400 2.16GHZ      | 24   | 2394  |
| INTEL DUAL CORE T4300 2.1GHZ       | 24   | 2395  |
| Intel Core2 Duo T6500              | 24   | 2400  |
| INTEL DUAL CORE T4300 2.1GHZ       | 24   | 2405  |
| INTEL CORE DUO T6600               | 24   | 2440  |
| Intel Core2Duo T6500               | 24   | 2450  |
| INTEL CORE i3 350M 2.26GHZ         | 24   | 2485  |
| INTEL CORE i3 330M 2.13GHZ         | 24   | 2530  |
| INTEL DUAL CORE T4200 2GHZ         | 24   | 2550  |
| INTEL CORE I3-330M                 | 12   | 2640  |
| INTEL CORE i3-330 2.13GHZ          | 12   | 2730  |
| INTEL CORE 2 DUO P7350/2GHZ        | 24   | 2740  |
| INTEL CORE i3 330M 2.13GHZ         | 24   | 2749  |
| CORE 2DUO T5800                    | 24   | 2862  |
| INTEL DUAL CORE T4200              | 24   | 2880  |
| INTEL CORE2DUO T6600 2.2GHZ        | 24   | 2885  |
| INTEL CORE i5 430M 2.26GHZ         | 12   | 2919  |
| INTEL CORE 2 DUO P8400             | 24   | 2950  |
| INTEL CORE i3 350M 2.26GHZ         | 24   | 2990  |
| INTEL CORE i3 350M 2.26GHZ         | 12   | 2990  |
| INTEL CORE i3 330M 2.13GHZ         | 12   | 2992  |
|                                    | 24   | 3024  |
| INTEL CORE2DUO T6500 2.1GHZ        | 24   | 3400  |
| INTEL CORE2DUO T6600 2.2GHZ        | 24   | 3455  |
| INTEL CORE2DUO T6400 2GHZ          | 24   | 3500  |
| INTEL CORE2DUO P7450 2.13GHZ       | 24   | 3570  |
| CORE 2DUO T9300                    | 24   | 3808  |
| INTEL MONTEVINA CORE 2 DUO T 7350  | 24   | 3870  |
| INTEL CORE2DUO T6600 2.2GHZ        | 24   | 3900  |
| Intel Montevina Core 2 Duo P7350   | 24   | 4028  |
| Intel P8400 2.26GHZ                | 24   | 4495  |
| Intel Core2 Duo P8400 (2.26GHz)    | 24   | 4530  |
| INTEL CORE2DUO P8700 2.53GHZ       | 24   | 4540  |
| INTEL CORE 2 DUOT9300 2.5GHZ       | 24   | 4730  |
| Intel Montevina Core 2 Duo P8600   | 24   | 6360  |
| Intel Core2 Duo T9600 (2.53GHz)    | 24   | 7483  |
| Intel Core2Duo T9600               | 24   | 11730 |

## **OFERTA SISTEME - 05 SEPTEMBRIE 2010**